H08 6×4 Dump Truck

The List of main performance parameters about H08 Tipper

Vehicle Model	HN3250HP35C6M3	HN3250HP35C6M3	HN3253HP35CPM3	HN3250HP35C6M3
Driving Model	6×4	6×4	6×4	6×4
Cab Model	H08 Flat Roof	H08 Flat Roof	H08 Flat Roof	H08 Flat Roof
Overall Dimension (L*W*H)(mm)	8460*2496*3360	8460*2496*3360	8460*2496*3360	8460*2496*3360
Engine Model	P11C-UH	P11C-UJ	ISLe375 30	ISME385 30
Engine Brand	HINO	HINO	CUMMINS	CUMMINS
Engine Power/Speed (kw/rpm)	240/2100	259/2100	280/1900	283/1900
Gearbox Model	ZF9S1820	ZF9S1820	ZF16S1650	ZF16S1650
Frontal Axle Model	CAMC	CAMC	CAMC	CAMC
Driving Axle	CAMC/5.73	CAMC/5.73	CAMC/5.73	CAMC/5.73

Shanghai Longji Construction Machinery Co., Ltd.
Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100
Website: www.shlongji.com Tel: +86-21-541-71571
E-mail: info@shlongji.com Fax: +86-21-541-71572

Model/Ratio				
Tire Specifications	12R22.5	12R22.5	12R22.5	12R22.5
Wheelbase(mm)	3600+1350	3600+1350	3600+1350	3600+1350
Front Suspension(mm)	1550	1550	1550	1550
Rear Suspension (mm)	1960	1960	1960	1960
Tread(F/R) (mm)	2065/1860/1860	2065/1860/1860	2065/1860/1860	2065/1860/1860
Number of Plate Spring(F/R)	9/12	9/12	9/12	9/12
Kerb mass(kg)	11950	11950	11950	11950
GVW(kg)	25000	25000	25000	25000
Permitted Front Axle Load(kg)	7000	7000	7000	7000
Permitted Rear Axle Load(kg)	18000	18000	18000	18000
Max. Speed(km/h)	78	78	78	78
Cargo Body Inside Size(L*W*H)(mm)	5400*2300*1250	5400*2300*1250	5400*2300*1250	5400*2300*1250
Minimum ground clearance(mm) Under rear axle	330	330	330	330
Approaching angle(°)	22	22	22	22
Departure angle(°)	27	27	27	27
Minimum turning diameter(m)	13.6	13.6	13.6	13.6

Note: The cab, engine, gearbox, tire,color,cargo body size and others have options.
& Due to improvements made to the product, data herein is subject to change without notice.

Shanghai Longji Construction Machinery Co., Ltd.
Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100
Website: www.shlongji.com Tel: +86-21-541-71571
E-mail: info@shlongji.com Fax: +86-21-541-71572

& Different outfits are provided for the different configurations of the motor vehicles.
& Affected by the reproduction conditions, the pictures and data differ somewhat from the actual motor vehicles.
& CAMC reserves the rights to make final explanations

Shanghai Longji Construction Machinery Co., Ltd.
Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100
Website: www.shlongji.com Tel: +86-21-541-71571
E-mail: info@shlongji.com Fax: +86-21-541-71572