

## XCMG QAY 200 All Terrain Crane



---

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China  
Post Code: 201100

Website: [www.shlongji.com](http://www.shlongji.com)

E-mail: [info@shlongji.com](mailto:info@shlongji.com)

Tel: +86-21-541-71571

Fax: +86-21-541-71572

No.	Item	Unit	Parameter
1	Total mass in travel state	kg	72000
2	Overall length for travel	mm	16200
3	Overall width for travel	mm	≤3000
4	Overall height for travel	mm	≤4000
5	Chassis length	mm	14240
6	Max. travel speed	km/h	71
7	Min. stable travel speed	km/h	2
8	Drive type		12×6
9	Steering type		12×10
10	Approach angle	°	≥25
11	Departure angle	°	≥17.8 (24)
12	Max. grade-ability	%	≥55
13	Carrier engine rated output	kw/rpm	380/1800
14	Superstructure engine rated output	kw/rpm	162/2100
15	Outrigger type		Double H
16	Outrigger span(longitudinal×lateral )	mm	9625×8700
17	Min. turning diameter	mm	≤23000
18	Max. rated lifting capacity	kg	200000
19	Jib max. lifting capacity	kg	12000
20	Min. rated working radius	m	3
21	Max. load moment	kN .m	6350(9m×72t)
22	Boom elevation	°	0~82
23	Boom length	m	13.8
24	Fully extended boom length	m	61
25	Base boom lifting height	m	14.5
26	Fully extended boom lifting height	m	59.5

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China  
Post Code: 201100

Website: [www.shlongji.com](http://www.shlongji.com)

E-mail: [info@shlongji.com](mailto:info@shlongji.com)

Tel: +86-21-541-71571

Fax: +86-21-541-71572

27	Jib length	m	11.55、 20
28	Swing speed	r/min	0~2
29	Single rope hoist speed	m/min	0~120

---

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China  
Post Code: 201100

Website: [www.shlongji.com](http://www.shlongji.com)

E-mail: [info@shlongji.com](mailto:info@shlongji.com)

Tel: +86-21-541-71571

Fax: +86-21-541-71572