

XCMG XE40 Compact Excavator



Model			XE40C
Operating weight		kg	4050
Standard bucket capacity		m ³	0.14
Engine	Engine Model	/	4TNV88
	Direct injection	/	√
	Four strokes	/	√
	Water cooling	/	√
	Turbo charged	/	×
	Air to air intercooler	/	×
	No. of cylinders	/	4
	Rated power/speed	kw/rpm	27.1/2200
	Max. torque/speed	N.m	142/1320
	Displacement	L	2.19

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

The main performance	Travel speed	km/h	4.2/2.6
	Swing speed	r/min	13.5
	Max. gradeability	/	30
	Ground pressure	kPa	36.3
	Max.Bucket digging force	kN	23.2
	Max.arm crowd force	kN	19.3
	Max.traction force		33.9
Hydraulic system	Main pump	/	Japan nachi
	Rate flow of main pump	L/min	1×110+11
	Max pressure of prime relief valve	MPa	21
	Max pressure of travel system	MPa	21
	Max pressure of swing system	MPa	21
	Max pressure of pilot system	MPa	3.9
	Fuel tank capacity	L	65
Oil capacity	Hydraulic tank capacity	L	70
	Engine lubrication	L	7.4
	A Overall length	mm	5455
Overall dimensions	B Overall width	mm	1650
	C Overall height	mm	2440
	D Overall width of upperstructure	mm	1500
	E Track length	mm	2198
	F Overall width of undercarriage	mm	1635
	G crawler width	mm	300
	H Dozer black(width/height)	mm	1650×300
	I Tumbler distance	mm	1721
	J Crawler gauge	mm	1335
	K Clearance under counter weight	mm	578

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	L Ground clearance	mm	350
	M Min.tail swing radius	mm	1480
	A Max. digging height	mm	5320
Working range	B Max. dumping height	mm	3700
	C Max. digging depth	mm	3600
	E Max. vertical wall digging depth	mm	2250
	F Max. digging reach	mm	5810
	G Min. swing radius	mm	2385
	H Max.dozer lifting height	mm	255
	I Max.dozer cutting depth	mm	375
	Angle of arm deflection	Degree	/

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572