

XCMG XE900C Excavator



Model		Unit	XE900C
Operating weight		kg	88800
Standard bucket capacity		m ³	4.0~5.0
Engine	Engine Model	/	Cummins QSX15
	Direct injection	/	√
	Four strokes	/	√
	Water cooling	/	√
	Turbo charged	/	√
	Air to air intercooler	/	√
	No. of cylinders	/	6
	Rated power/speed	kw/rpm	395/1800

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	Max. torque/speed	N.m	2365/1400
	Displacement	L	15
The main performance	Travel speed	km/h	3.9/2.7
	Swing speed	r/min	7.3
	Max. gradeability	/	≥30
	Ground pressure	kPa	115
	Max.Bucket digging force	kN	479
	Max.arm crowd force	kN	368
	Max.traction force	kN	629
	Hydraulic system	Main pump	/
Rate flow of main pump		L/min	2×521
Max pressure of prime relief valve		MPa	31.4/34.3
Max pressure of travel system		MPa	34.3
Max pressure of swing system		MPa	30
Max pressure of pilot system		MPa	3.9
Oil capacity	Fuel tank capacity	L	1225
	Hydraulic tank capacity	L	755
	Engine lubrication	L	48
Overall dimensions	A Overall length	mm	13570
	B Overall width	mm	4550
	C Overall height	mm	5090
	D Overall width of upperstructure	mm	3350
	E Track length	mm	5840
	F Overall width of undercarriage	mm	4550
	G Crawler width	mm	750
	H Track length on ground	mm	4545
	I Crawler gauge	mm	2960/3500

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	J Clearance under counter weight	mm	1680
	K Ground clearance	mm	880
	L Min.tail swing radius	mm	4700
Working range	A Max. digging height	mm	12060
	B Max. dumping height	mm	8070
	C Max. digging depth	mm	7250
	D 8inch horizontal digging depth	mm	7100
	E Max. vertical wall digging depth	mm	4200
	F Max. digging reach	mm	12330
	G Min. swing radius	mm	5200
	Angle of arm deflection	Degree	

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China
Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572